DESCRIPTION:

7KH SURGXFWV DUH UHODLQ RSWLFDO... 7KH LGHYLF
DQ $O*D$V LQIUDUHG HPLWWLQJ GLRGH
FRXSOHG WR D KLJK YROWDJH RXWSXW ... LUFXLW
FRQVLVWV RI D KLJK YROWDJH ... U
FLUFXLWU\ WR VZLWFK RQ WKH ...
7KH UHOD\ DFWLRQ ZLWK D PLQLPXP ... W RI P
WKURXJK WKH LQSXW ... WKH UHODW ... H
RI 9 RU OHVV 7KH ZLGH ...
DXWRPRWLYH EDWWHU\ PDQDJHPHQW ... PRELOH
DQG SRZHU V\VWHP ...
DQG (05 UHHG UHOD\ UHSODFHPHQW



MAIN FEATURES:

+LJK LVRODWLRQ 9ROWV
6LQJOH FKDQQHO QRUPDOO\ RSHQ 6ROLG 6WDWH
2SHUDWLQJ WHPSHUDWXUH UDQJH
5(\$&+ 5R+6 FRPSOLDQFH
+%0 + \$ 00 0 &'0 &
&4& DSSURYHG
9'(DSSURYHG
8/ DSSURYHG
\$(&4 DSSURYHG

ABSOLUTE MAXIMUM RATINGS 7HPSHUDWXUH ƒ&

Parameter		Symbol	Value	Unit
,QSXW	)RUZDUG &XUUHQW	)	,	
	3HDN)RUZDUG &XUUHQW	,)3	7	\$
	5HYHUVH 9ROWDJH	95		
	3RZHU 'LVVLSDWLRQ	3'		
2XWSXW	6ZLWFKLQJ 9ROWDJH	2	9	9
	&RQWLQXRXV /RDG &XUUHQW	2		
	3RZHU 'LVVLSDWLRQ	3&		P:
2SHUDWLQJ 7HPSHUDWXUH		7RSU	a	
-XQFWLRQ 7HPSHUDWXUH		7M		

6WRUDJH 7HPSHUDWXUH	7VWJ		a	
7RWDO 3RZHU 'LVVLSDWLRQ	3WRW			P:
,VRODWLRQ 9ROWDJH	9LVR		8	9UPV
6ROGHULQJ 7HPSHUDWXUH	7VRO			

NOTE1 íìì…• ‰µìò•(Œ ‹µ v Ç

NOTE2 (}Œ íu]vµš U ZX,XAðì•òì9

ELECTRICAL CHARACTERISTICS 7HPSHUDWXUH f&

Parameter		Symbol	Condition	Min.	Typ.	Max.	Unit
,QSXW	)RUZDUG 9ROWDJH	) 9P$	,				9
	5HYHUVH &XUUHQW	5 9	9				$
	7HUPLQDO &DSDFLWDQFH	0+					S)
2XWSXW	2II VWDWH /HDNDJH &XUUHQW	2))	2 9				$
	21 5HVLVWDQFH	521	,2 ,20$; ,) P$				
7UDQVIHU &KDUDFWHULVWLFV	/(' 7UDQVIHU &XUUHQW	7HW	2 ,20$;	,			
	5HVHW &XUUHQW	2))	2 ,20$;				
	)ORDWLQJ &DSDFLWDQFH	0+]	9				S)
	,VRODWLRQ 5HVLVWDQFH	6	'& 9 a 5 +				

ORDERING INFORMATION



Packing Quantity	
Option	**Quantity**
>^KWíî	íìì ì hv]š•lZ o

MARKING



Characteristics Curves

FIG.1:)RUZDUG &XUUHQW YV)RUZDUG 9ROWDJH



FIG.2: 2XWSXW $YHUDJH /(')RUZDUG YV $PELHQW 7HPSHUDWXUH



FIG.3: /(' 2SHUDWH &XUUHQW YV $PELHQW 7HPSHUDWXUH



FIG.4: 2Q 5HVLVWDQFH YV $PELHQW 7HPSHUDWXUH



FIG.5: 7XUQ 2Q 7LPH YV $PELHQW 7HPSHUDWXUH



FIG.6: 7XUQ 2II 7LPH YV $PELHQW 7HPSHUDWXUH



Package Dimension (Unit: mm)

Standard DIP Type:



	'LPHQVLRQV					
5HI	0LOOLPHWHUV			,QFKHV		
	0LQ	7\S	0D[	0LQ	7\S	0D[
$						
%						
&						
'						
(						
)						
*						
+						
,						
-						

CARRIER TAPE SPECIFICATIONS (Dimensions in mm unless otherwise stated)



5HI	'LPHQVLRQV					
	0LOOLPHWHUV			,QFKHV		
	0LQ	7\S	0D[	0LQ	7\S	0D[
3						
3						
3						
7						
:						

REFLOW INFORMATION



Profile Feature	Sn-Pb Assembly Profile	Pb-Free Assembly Profile
7HPSHUDWXUH 0LQ	7VPLQ	
7HPSHUDWXUH 0D[	7VPD[	
7LPH WV IURP 7VPLQ WR 7VPD[	VHFRQGV	VHFRQGV
5DPS XS 5DWH W/ WR W3HDN	VHFRQGV PD[	VHFRQGV PD[
/LTXLGXV 7HPSHUDWXUH 7/		
7LPH W/ 0DLQWDLQHG $ERYH 7/	VHFRQGV	VHFRQGV
3HDN %RG\ 3DFNDJH 7HPSHUDWXUH		
7LPH W3 ZLWKLQ	VHFRQGV	VHFRQGV
5DPS GRZQ 5DWH	73 WR 7/ VHFRQGV	VHFRQGV
7LPH WR 3HDN 7HPSHUDWXUH	PLQXWHV PD[	PLQXWHV PD[

1RWH

5HIORZ VROGHULQJ LV UHFRPPHQGHG DW WKH WHPSHUDWXUH

$YRLG GLUHFW FRQWDFW ZLWK FRUURVLYH VXEVWDQFHV H[FHHGLQJ LWV PD
VWRUDJH WHPSHUDWXUH

$SSOLFDWLRQ RI WKH SURGXFW LQ WHPSHUDWXUHV ,Q V
VFHQDULRV DQG HQYLURQPHQWV QRW WR H[FHHG 1

(QVXUH WKH FRPSRQHQW KDV FRROHG WR URRP WHPSHUDWXUH
PDQXIDFWXULQJ VWHSV

7KH FRPSRQHQW VKRXOG EH VWRUHG XQGHU FRQGLWLRQV

5HFRPPHQG VWRUDJH 7HPS a ƒ&

5HFRPPHQG VWRUDJH KXPLGLW\

06/ OHYHO 06/

,QIRUPDWLRQ IXUQLVKHG LQ WKLV GRFXPHQW LV EHOLHYHG WR EH DFFXUDWH
-LDQJVX -LH-LH 0LFURHOHFWURQLFV &R /WG DVVXPHV QR UHVSRQVLELOLW\
RI XVH ZLWKRXW FRQVLGHUDWLRQ IRU VXFK LQIRUPDWLRQ
LQ WKLV GRFXPHQW DQG LV VXEMHFW WR QRWLFH DSDUW IURP V
VLJQHG -LDQJVX -LH-LH VLJQ WKH DJUHHPHQW

3URGXFWV DQG LQIRUPDWLRQ SURYLGHG LQ WKLV GRFXPHQW
-LDQJVX -LH-LH DVVXPHV QR UHVSRQVLELOLW\ IRU LQIULQJHPHQW RI RWK
ZKLFK PD\ UHVXOW IURP WKH XVH RI VXFK SURGXFWV DQG
DQG UHSODFHV DOO LQIRUPDWLRQ SUHYLRXVO\ VXSSOLHG

LV D UHJLVWHUHG WUDGHPDUN RI -LH-LH 0LFURHOHFWURQLFV &R
&RS\ULJKW -LDQJVX -LH-LH 0LFURHOHFWURQLFV &R /WG $OO ULJKWV UHVH